

MINIFORST

max. 20 cm Ø 60-100 HP

Forestry mulcher for small tractors - versatile in use

MINIFORST is the smallest mulching machine of this series and can be attached to small and medium-sized tractors. It mulches grass and bushes up to 20 cm in diameter. Thanks to the different types of rotors, this mulcher can be adapted for specific work. The standard rotor with fixed hammers with two tungsten carbide inserts is perfect for general forestry operations. For an application where a fast, clean cut is required, the optional hammer rotor with a sharp blades might be the choice. If required, the mulcher will be delivered with a guard frame.

Standard version and specifications

- > Mulches bushes and wood up to 20 cm [8"]Ø
- > Working speed 0-5 km/h
- > 3 point rear linkage cat. 2 central fixed
- > 1000 rpm gearbox with freewheel and through shaft
- > Belt transmission
- > Hydraulically operated hood
- > Reinforced skids, adjustable in height
- > Protection with chains
- > Tempered counter cutters
- > Standard rotor fixed hammers MINI DUO with 2 tungsten carbide inserts

Optional configuration and accessories

- > CUT CONTROL rotor with MINI DUO
- > CUT CONTROL rotor with MINI BLADE
- > Front attachment
- > 3 point rear linkage cat. 1 and 2
- > 540 rpm gearbox
- > Guard frame



YouTube www.youtube.com/seppimulcher

Specifications · MINIFORST	Nominal Tractor Power 60-100 HP			
	125 cm [49"]	150 cm [59"]	175 cm [69"]	200 cm [79"]
Working width	125 cm [49"]	150 cm [59"]	175 cm [69"]	200 cm [79"]
Overall width	149 cm [59"]	174 cm [69"]	199 cm [78"]	224 cm [88"]
Depth	115 cm [45"]	115 cm [45"]	115 cm [45"]	115 cm [45"]
Height	110 cm [43"]	110 cm [43"]	110 cm [43"]	110 cm [43"]
Weight (base value w/o opt.)	770 kg [1700lb]	880 kg [1950lb]	970 kg [2140lb]	1090 kg [2410lb]
Belts	5	5	5	5
Fixed hammers	27	30	33	36

Tools



MINI-DUO



MINI-DUO +
CUT CONTROL



MINI BLADE +
CUT CONTROL

MINIFORST · Specifications

Small forestry mulcher from SEPPi M. in robust construction like the larger machines: with reinforced housing and welded belt protection.

Reversible gearbox for front- and rear attachment

The optional guard frame protects the tractor during felling operations

Continuous hinge over the entire hood length stabilizes the hood

Height adjustable skids reinforced by additional steel plates

Robust reinforced chassi with 3+2 rows of tempered counter cutters for a perfect mulching result

COUNTER CUTTERS

STANDARD ROTOR
MINI DUO hammer
 2 tungsten carbide tips provide high performance and long lifetime
 > Efficient on big wood and stumps
 Optional con CUT CONTROL system

OPTIONAL ROTOR
MINI BLADE tool
 with its sharpened blade for a fast and clean cut of wood, especially efficient on standing trees

CARBIDE

CUT CONTROL

HELIX ROTOR

CUT CONTROL